

## Questions & Answers 2025-26 Crane & Hoist Annual Inspections

**1 Could you provide the length of each monorail listed?**

**See Inventory List**

**2 Are any of the listed bridge crane systems on the same runway? If so, can these be identified?**

**No**

**3 How many runways are there?**

**See Inventory List**

**4 How long are the runways?**

**See Inventory List**

**5 What is the span of each bridge crane?**

**See Inventory List**

**6 Can you provide height from ground (or working platform) for each hoist?**

**This hasn't been measured, but was discussed during site visit.**

If it is absolutely necessary we can provide additional detail.

**7 Could you provide the length of each monorail in the potential additions section?**

**See Inventory List**

**8 Does your facility require MSHA certification (specifically underground) for contractors?**

**No**

**9 What is the length of the contract.**

**Three Years**

**9a When do you anticipate the contract period to start and end?**

**2026-2028**

**9b Do we need to include support for inspections and repairs in 2026?**

**Yes**

**10 Does SDSTA issue their JHA forms or does contractor have to supply the document?**

**SDSTA is going to supply the JHA document. For was emailed and posted on the site.**

**11 Does contractor need to bring their own W65s?**

**SDSTA supplies the W65.**

**12 Who can do a lockout/tag out? What is the process?**

**Contractor can LOTO the crane or hoist but must follow SDSTA standards.**

**Document was posted to the site and emailed.**

**13 Davis Campus Clean Area Notes**

Contractor to check if SDSTA can issue needed tools and we will make sure they are at the location.  
No Rigging Inspections  
Gantry crane not included.

**14 Do we require retractable fall protection.**

Not required but allowed.

**15 Will the lab have scissor lifts, or any kind of lifts available onsite for the crane service company to use?**

We will provide lift(s) and an operator to assist with lift operation.

**16 What are the allowable working hours?**

M-F 7am - 4pm preferred

**17 What month would the inspection take place?**

June or July has been the target historically

**18 Would it be possible to have two mine representatives available**

**to assist with lift operations and lockout/tagout during the inspection?**

Inspector will always have an escort by SDSTA, and LOTO assistance will be provided

**19 Would a respirator be required at any point? If so, what type and under what circumstances?**

No

**20 Please confirm that no lubrication is required for the chain on**

**Asset 15 – 3-ton Harrington hoist located in the research lab.**

Confirmed

**21 Are there any additional site specific training requirements that must be completed**

**prior to performing work at SURF? Length and cost if applicable?**

Training is provided on site - ESH to confirm exact requirements.